



## China Im8uu Bearing Supplier



6312 Bearing 2D drawings and 3D CAD models

### NSK 6312 Deep Groove Ball Bearing for Auto Parts

Bearing No. 6312

Size	60x130x31 mm
Bore Diameter	60 mm
Outer Diameter	130 mm
Width	31 mm
d	60 mm
D	130 mm
B	31 mm
C	31 mm
r min.	2,1 mm
da min.	71 mm
da max	79 mm
Da max.	119 mm
ra max.	2 mm
Weight	1,72 Kg
Basic dynamic load rating (C)	82 kN
Basic static load rating (C0)	52 kN
(Grease) Lubrication Speed	5 300 r/min
(Oil) Lubrication Speed	6 300 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	732.25
EAN	0029176017230
Product Group	B00308



## China Im8uu Bearing Supplier

Enclosure	Open
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	60MM Bore; 130MM Outside Diameter; 31MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	<a href="http://www.nskamericas.com">http://www.nskamericas.com</a>
Manufacturer Item Number	6312
Weight / LBS	1.73
Outer Race Width	1.22 Inch   31 Millimeter
Outside Diameter	5.118 Inch   130 Millimeter
Bore	2.362 Inch   60 Millimeter
bore diameter:	60 mm
internal clearance:	C0
outside diameter:	130 mm
dynamic load capacity:	82000 N
overall width:	31 mm
precision rating:	ABEC1, P0



## China Im8uu Bearing Supplier

bore type:	Round
finish/coating:	Uncoated
closure type:	Open
cage material:	Steel Cage
row type & fill slot:	Single Row Non-Fill Slot
maximum rpm:	6300 rpm
snap ring included:	Without Snap Ring
SRI	11.5
hidYobi	6312
LangID	1
D_	130
SREX	0.08
B_	31
da min	71
hidTable	ecat_NSRDGB
Oil rpm	6300
SRE	11.78
mass	1.72
GRS rpm	5300
ra	2
SRIX	0.04
D_a	119
SRIN	-0.04
C0	52
fo	13.1
SREN	0
DE_	117.225
Prod_Type3	DGBB_SR_OT
DA_	22.225
bomp	0
Z_	8
yobi	6312



## China Im8uu Bearing Supplier

C_conv	82000
ALPHA_	0
SDM_	95
r	2.1
KBRG	6101
SBRG	3
DI_	72.775